

# EMERGENCY MANUAL

# Shelter Tool, Shovel, round point, Y handle

### Overview

Specifications		
Item code	400000008	
Unit weight	N/A	

# Description

#### Shovel - Round point - Y Handle

Material	Pressed carbon-steel, hardened and tempered
Corrosion protection	Black paint
Quality of make	No excess metal in the eye, no dents, no cracks, soft edges.
Hardness Rockwell C	35 minimum to 48 maximum HRC
Carbon content	0.4% to 0.6%
Manganese content	0.5% to 1%
Silicone	0.37% maximum
Phosphorus and sulphur	0.06% maximum
Dimensions, full piece	295 x 225mm +/-15mm
Hole diameter	Front side 36mm, backside 40mm, +/-5%
Weight	1kg +/- 50g, without handle
Strength testing	<ul> <li>Using a fitted, standard hardwood handle, clamp the blade of the shovel near the handle in a horizontal position. Gradually apply a load of 45kg and maintain it for 2 minutes. This should not result in any damage to the blade or a loosening of the handle, and no permanent set in excess of 25mm.</li> <li>With one centimetre of the end of the blade secured in a clamp, move the handle back and forth 30degrees. There should be no permanent set greater than 25mm.</li> <li>With the shovel held in a digging position, a 37mm in diameter piece of wood is hit hard against it. The blade should not buckle or break.</li> </ul>

#### Shovel - Round point - Y Handle

Handle	No chips, rough surfaces, cracks, holes or knots. Smooth, polished varnish surface. Dry, strong and flexible wood. Moisture minimum 10%, maximum 15%. Handle adapted to head so that it can be blocked and secured with a nail. Total length 1070mm +/-50mm (head included). The other end of the handle is made in a Y-shape with same quality of wood. The branches of the Y handle must be made of good-quality iron, securely fitted to the handle.
--------	---

# Other Entries in this Topic

• Emergency Relief Items Catalogue

## Contacts

For further information, contact <a href="mailto:sheltersupport@iom.int">sheltersupport@iom.int</a>.

Document last updated: Oct 2022